


- **Positive COVID-19 test** by antigen or PCR testing **and**
- Mild-moderate COVID-19 **symptoms** ≤ 7 days from onset of symptoms **and**
- **Pregnant** (any gestational age) or **postpartum** (up to 4 weeks) **and**
- ≥ 1 additional **risk factor**:
 - Unvaccinated, under-vaccinated (1-2 doses, < 4 weeks since 2nd dose), or fully vaccinated but *not* boosted
 - BMI ≥ 35
 - Diabetes on medication
 - Severe cardiovascular disease*
 - Severe immune suppression*
 - Chronic kidney, liver, or lung disease*
 - Sickle cell disease



* Definitions

- **Chronic kidney disease**: GFR 30-59
- **Cardiovascular disease**: Heart failure, cardiomyopathy, coronary artery disease, congenital heart disease, hypertension on medication
- **Chronic lung disease**: Moderate to severe asthma (does not include mild asthma with no recent exacerbations, exercise-induced asthma, or albuterol prescription alone), bronchiectasis, COPD (emphysema and chronic bronchitis), interstitial lung disease, pulmonary embolism, pulmonary hypertension
- **Chronic liver disease**: Cirrhosis, fatty liver disease, autoimmune hepatitis, alcohol liver disease
- **Severe immunocompromise**: Active anti-CD20 therapy (rituximab), chronic corticosteroids (prednisone >20mg daily or equivalent), cyclosporin, multiple immunosuppressive agents, solid organ transplant, stem cell transplant, active chemotherapy, advanced and untreated HIV infection, moderate or severe congenital immunodeficiency

+ Outpatient triage appointments available twice daily, 7 days per week

Fetal assessment based on gestational age:

- **GA < 24 weeks**: FH by Doppler
- **GA 24 - 28 weeks**: assess re: fetal movement
 - If regular FM: FH by Doppler
 - If no regular FM: NST
- **GA > 28 weeks**: NST